

US009472862B2

(12) United States Patent

Freakes

(54) ELECTRICAL CONNECTOR DEVICES AND METHODS FOR EMPLOYING SAME

(76) Inventor: **Anthony Freakes**, Skillman, NJ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 13/599,564

(22) Filed: Aug. 30, 2012

(65) **Prior Publication Data**

US 2012/0322324 A1 Dec. 20, 2012

Related U.S. Application Data

- (62) Division of application No. 12/788,619, filed on May 27, 2010, now Pat. No. 8,256,105, which is a division of application No. 11/619,811, filed on Jan. 4, 2007, now Pat. No. 7,753,715.
- (60) Provisional application No. 60/756,264, filed on Jan. 4, 2006, provisional application No. 60/785,628, filed on Mar. 24, 2006, provisional application No. 60/792,446, filed on Apr. 17, 2006, provisional application No. 60/799,226, filed on May 10, 2006, provisional application No. 60/813,643, filed on Jun. 14, 2006, provisional application No. 60/836,159, filed on Aug. 8, 2006, provisional application No. 60/865,477, filed on Nov. 13, 2006.

(51)	Int. Cl.	
	H01F 27/30	(2006.01)
	H01F 27/28	(2006.01)
	H01F 27/29	(2006.01)
	H01R 4/24	(2006.01)
	H01R 4/04	(2006.01)
	H01R 4/14	(2006.01)
	H01R 4/72	(2006.01)
	H01R 43/033	(2006.01)

(52) U.S. Cl.

 (10) Patent No.: US 9,472,862 B2

(45) **Date of Patent:** Oct. 18, 2016

(2013.01); H01R 4/723 (2013.01); H01R 43/033 (2013.01); Y10T 29/4906 (2015.01); Y10T 29/49062 (2015.01); Y10T 29/49066 (2015.01); Y10T 29/49117 (2015.01); Y10T 29/49121 (2015.01); Y10T 29/49124 (2015.01)

(56) References Cited

U.S. PATENT DOCUMENTS

4,003,623 A 4,656,380 A 1/1977 Reynolds 4/1987 Strobl (Continued)

FOREIGN PATENT DOCUMENTS

EP 1164665 A1 * 12/2001

OTHER PUBLICATIONS

International Preliminary Report and Written Opinion for PCT Application PCT/US2007/060097, Jan. 13, 2009 (Form PCT/IB/326/373/ISA/237).

(Continued)

Primary Examiner — Elvin G Enad Assistant Examiner — Ronald Hinson (74) Attorney, Agent, or Firm — Timothy X. Gibson, Esq.; Gibson & Dernier LLP

(57) ABSTRACT

An apparatus and method are disclosed that may include a contact pin; and a plurality of loops of conductive wire, coated with insulation material, disposed in proximity to the contact pin, wherein along at least one portion of the conductive wire, at least one edge of the contact pin extends through the insulation material and thereby forms conductive electrical contact with the conductive wire.

8 Claims, 36 Drawing Sheets



